

LIST OF EFFECTIVE SHEETS

Sheets listed below are effective as of the date shown on each sheet.

<u>Revision Number</u>	<u>Sheet</u>
Original	CS A
Original	1
Original	2
Original	3
Original	4
Original	5
Original	6
Original	7
Original	8
Original	9
Original	10
Original	11
Original	12
Original	13
Original	14
Original	15

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.1 GENERAL INFORMATION

14.1.1 APPLICABILITY

Applicable to the consultation, design, installation, rearrangement, repair, and maintenance of Intrabuilding Network Cable (INC).

14.1.2 TERRITORY

Within all exchange areas as said areas are defined on maps filed as part of the tariff schedules.

14.2 RATES

A. Consultation and Design for New Installation of Intrabuilding Network Cable - (See Special Condition 14.2.F.2. following)

	<u>NORMAL RATE</u>	<u>OVERTIME RATE</u>	<u>PREMIUM RATE</u>
1. Charge per hour or portion thereof	\$60.00	\$90.00	\$120.00
2. Charges for Design Materials/Drawings will be determined on an Individual Case Basis (ICB). A minimum charge of \$20.00 will apply.			

B. Installation and Rearrangement of Intrabuilding Network Cable - (See Special Condition 14.2.F.3. following)

	<u>NORMAL RATE</u>	<u>OVERTIME RATE</u>	<u>PREMIUM RATE</u>
1. Charge per hour or portion thereof	\$55.00	\$82.50	\$110.00
2. Material charges will be determined on an individual case basis.			

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.2 RATES - Continued

C. Repair and Maintenance of Intrabuilding Network Cable - (See Special Condition 14.3.F.4. following)

	<u>NORMAL RATE</u>	<u>OVERTIME RATE</u>	<u>PREMIUM RATE</u>
1. Charge per hour or portion thereof	\$55.00	\$82.50	\$110.00

Normal Rates are applicable to work performed Monday through Friday, between 8:00 a.m. and 5:00 p.m.

Overtime Rates are applicable to work performed Monday through Friday at hours other than listed in Normal Rates and all day Saturday, except holidays.

Premium Rates are applicable to work performed on Sundays and holidays observed by the Utility.

2. Material charges will be determined on an individual case basis.

D. Additional Local Loop Demarcation Point Charge

See Schedule Cal. P.U.C. No. A2, Rule 23, Special Construction of Exchange Facilities.

E. Charges for copies of Intrabuilding Network Cable Charts and Diagrams

Charges for Charts and Diagrams will be determined on an individual case basis. A minimum charge of \$20.00 will apply.

(Continued)

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS

A. Description

Intrabuilding Network Cable (INC) is the telecommunications infrastructure located on the customer's side of the demarcation point that connects the end of the Utility's local loop to floor terminal(s) within a customer's building or to another building on a customer's continuous property.

Within a building, Intrabuilding Network Cable may be installed vertically to support telecommunications closet(s) on a floor, horizontally to support telecommunications closet(s) on a common floor, or any combination thereof.

Between buildings on a customer's continuous property, Intrabuilding Network Cable may be installed in conjunction with horizontal cable or may be placed exclusively for the support of interbuilding telecommunication needs.

For the purposes of this tariff, Intrabuilding Network Cable infrastructure is limited to copper facilities.

B. Responsibility

1. For the purposes of this tariff, the customer is the property owner/landlord/agent, who is not necessarily the customer for any particular Utility network service.
2. The customer is responsible for the installation, rearrangement, and maintenance of Intrabuilding Network Cable required to support tenant telecommunications services. Where the customer refuses to provide Intrabuilding Network Cable, the applicant for service may request the Utility to provision the service in accordance with this tariff schedule, provided the customer grants access to the building structure for the placement of the Intrabuilding Network Cable infrastructure.
3. Property Owner/landlord/agents are responsible for maintenance of Intrabuilding Network Cable in new, fully renovated and existing buildings. Intrabuilding Network Cable must be maintained to insure that it meets the required standards in accordance with Special Conditions 14.3.D. following.

(Continued)

(To be inserted by utility)

Advice Letter No. 365a

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

B. Responsibility - Continued

4. If the property owner does not allow the Utility the right to use sufficient pairs in customer-owned/provided cable without charge, or does not request that the Utility install the necessary cable to serve the Utility's customers, the Utility is not required to provide network service to reach such customers.
5. The Utility has no liability for Intrabuilding Network Cable and/or its associated infrastructure for which the customer has responsibility under this tariff. Limitations of liability as set forth in Schedule Cal. P.U.C. No. A2, Rule 24, Limitation of Liability, shall apply.
6. The Utility reserves the right to:
 - a. Adequate access for the installation and maintenance of its equipment, service, and inside wire.
 - b. Retain ownership of existing distribution cable facilities that may be required for future use.
 - c. Retain ownership of Intrabuilding Network Cable that supports National Security or other services deemed necessary for the protection of the public, e.g. Emergency Reporting Services.

C. Access To and Use

1. Where Utility services are provided over Intrabuilding Network Cable, the Utility shall be provided reasonable access to the customer's premises for the purpose of installing, inspecting, testing, rearranging, repairing, or removing its equipment, cable, wire, and services. The Utility shall have the right to make such tests and adjustments as necessary or appropriate to maintain its building entrance equipment and/or facilities in satisfactory operating condition.
2. Pairs within the Intrabuilding Network Cable shall be repaired and maintained by the customer.
3. The Utility is granted the right of access to and use of the pairs, without charge, to provision and maintain telecommunications services provided by the Utility to its end-user customer.

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

C. Access To and Use - Continued

4. The Utility will provide verbal notice to the property owner/landlord/agent to arrange for access to Intrabuilding Network Cable.
5. Where a customer is so located that it is necessary to use private right-of-way to furnish a service on continuous property, the customer shall be required to pay the entire costs involved in securing and retaining right-of-way.

D. Intrabuilding Network Cable Standards

The Utility will provision Intrabuilding Network Cable and will maintain Intrabuilding Network Cable that it provisioned or assumed maintenance for, in accordance with this schedule, in compliance with national, state, and local industry minimum safety, transmission, installation, and material quality standards.

Intrabuilding Network Cable shall meet the technical specifications and standards outlined by the following industry groups:

American National Standards Institute (ANSI)
National Electric Code (NEC)
Underwriter's Laboratories (UL)
Building Industry Consulting Service International (BICSI)
American Society for Testing and Materials (ASTM)
Institute of Electronics and Electrical Engineers (IEEE)
Electronic Industries Association (EIA)/Telecommunications Industries Association (TIA)
National Electrical Manufacturer's Association (NEMA)
Insulated Cable Engineering Association (ICEA)
National Electrical Safety Code (NESC)
National Recognized Testing Laboratories (NRTL)

Intrabuilding Network Cable products shall be manufactured to, and used in accordance with, the above industry standards and all other federal, state, and local requirements; shall be installed in accordance with local building codes; and shall have the minimum industry rating for the application.

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

D. Intrabuilding Network Cable Standards - Continued

At the customer's request, the Utility will review non-standard Intrabuilding Network Cable and provide a time and materials quote to bring the Intrabuilding Network Cable, where possible, into compliance with the above standards and applicable building codes. Installation rates outlined in this schedule shall apply for all cable upgrade activities.

The Utility will not be required to provision or maintain its telecommunications services over Intrabuilding Network Cable that does not meet national, state, and local industry minimum safety, or transmission, installation, and material quality standards.

E. In Place Intrabuilding Network Cable

1. In Place Intrabuilding Network Cable is Intrabuilding Network Cable installed prior to August 8, 1993.
2. As of August 8, 1993, the customer is responsible for maintenance of Intrabuilding Network Cable, together with its associated protective apparatus, terminal chambers, connecting blocks, and frames. Responsibility for the In Place Intrabuilding Network Cable is transferred by the Utility to the customer in "as is" condition without any representation as to quality or fitness; permanence of right-of-way, easement, or locations; or any other matter whatsoever. The Utility expressly disclaims any expressed or implied warranties including the implied warranties of merchantability and fitness for a particular purpose.
3. The Utility will relinquish ownership of the embedded Intrabuilding Network Cable to the building owner upon full recovery of the Utility's capital investment, August 8, 1998.

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

E. In Place Intrabuilding Network Cable - Continued

4. Ownership of facilities not detailed in Special Conditions 14.3.E.2. preceding, such as poles and conduit structure, shall remain with the Utility. Where no longer required by the Utility, these facilities may be priced for sale on an individual case basis.
5. Limitation of liability as set forth in Schedule Cal. P.U.C. No. A2, Rule 24, Limitation of Liability shall apply.
6. All rearrangements, changes, and removals requested by the customer that are required to separate the relinquished facilities from the Utility's network shall be performed by the Utility. Installation and Rearrangement rates outlined in this Schedule shall apply.
7. The Utility may further recover any extraordinary costs incurred during any special removal procedures requested by the customer. Where these costs have not been captured in the original estimate, costs shall be recovered based on current Installation and Rearrangement rates outlined in this Schedule.
8. The installation of additional service entrance facilities shall be performed in accordance with Schedule Cal. P.U.C. No. A2, Rule 23, Special Construction of Exchange Facilities.

(Continued)

(To be inserted by utility)

Advice Letter No. 365a

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services

1. General

- a. Arranging for installation, repair, and maintenance on Intrabuilding Network Cable is the responsibility of the customer. A customer may choose a source for installation, repair, and maintenance other than the Utility.
- b. The Utility will provide Intrabuilding Network Cable services for all types of buildings as follows:
 - (1) Consultation and Design for New Installation of Intrabuilding Network Cable,
 - (2) Installation and Rearrangement of Intrabuilding Network Cable,
 - (3) Repair and Maintenance of Intrabuilding Network Cable,
 - (4) Additional Local Loop Demarcation Points, and
 - (5) Intrabuilding Network Cable Charts and Diagrams.

These services will be offered in accordance with Special Conditions 14.3 F.2., F.3., F.4., F.5., and F.6., following, and Schedule Cal. P.U.C. No. A2, Rule 23, Special Construction of Exchange Facilities. The regulations, terms, conditions, and charges specific to each offering will apply.

- c. The customer shall provide all information necessary for the Utility to provide and bill for the requested service(s) including but not limited to customer name and premises address(es), billing name and address, and customer contact name(s) and telephone number(s).
- d. The Utility will provide an estimate of charges to fulfill the customer's request for Intrabuilding Network Cable Service. Once a firm order has been established the total charge to the customer may not exceed the estimated amount by more than ten percent unless the overage results from changes requested by the customer.

(Continued)

(To be inserted by utility)

Advice Letter No. 365a

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services - Continued

1. General - Continued

e. If the customer cancels the order after work has begun, the Utility will charge the customer for any costs or expenses incurred prior to the receipt of the cancellation notice, not to exceed the estimated charge.

f. Billable time is measured from the arrival time of the Utility's personnel at the customer's premises until the departure time of the Utility's personnel from the customer's premises and includes the time necessary for work preparation, actual work, and clean up.

Billable time will not be measured for the purpose of charging the customer unless the Utility's personnel have gained access to the customer's premises.

g. If the Utility's personnel are dispatched to isolate trouble and the customer requests Intrabuilding Network Cable repair, the following charges and Special Conditions will apply in lieu of any applicable in Schedule Cal. P.U.C. No. A28, Visit Charge.

h. The installation of additional service entrance facilities shall be performed in accordance with Schedule Cal. P.U.C. No. A2, Rule 23, Special Construction of Exchange Facilities.

i. The Utility will certify that all Utility provided materials and labor comply with standards outlined in Special Conditions 14.3.D. preceding.

j. Where Intrabuilding Network Cable is to be extended between premises of a customer in separate buildings on continuous property and underground construction is either requested or required, the customer shall provide the necessary right-of-way and supporting structure between the buildings. The Utility may, when requested by the customer, furnish the supporting structure in accordance with Schedule Cal. P.U.C. No. A2, Rule 23, Special Construction of Exchange Facilities.

(Continued)

(To be inserted by utility)

Advice Letter No. 365a

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services - Continued

1. General - Continued

- k. Upon request the Utility will install or rearrange Intrabuilding Network Cable in buildings that are or may be occupied or controlled by more than one applicant/customer. Where the Utility's activities require entering an area that is or may be occupied by a party other than the applicant/customer, suitable arrangements for the Utility's employees to enter and work must be made by the applicant.
- l. The customer shall provide or arrange for the following items without cost to the Utility and in accordance with the Utility's standards and applicable laws, ordinances, rule and regulations of public authorities:
 - (1) Suitable and adequate space of Intrabuilding Network Cable and associated equipment.
 - (2) Suitable means for cable to enter the building(s) and reach any location within the building(s).
 - (3) Penetration of the fire walls; drilling holes in concrete, masonry or metal walls or floors; and any structural work necessary for housing and supporting cables and associated equipment; fire stopping and sealing of all pathways through floors and walls to comply with building and electrical codes.
 - (4) Movement of furniture, equipment, floor coverings, or goods as may be required by the Utility work operations.
 - (5) Safe working conditions for the Utility's employees.
- m. At the customer's request, the Utility will place concealed cable if the customer provides or arranges for the means of concealment in accordance with 14.3.f.1.l. preceding. The means of concealment that may be provided by the customer are conduit, molding, cabinets, under floor ducts, or by other means of concealment acceptable to the Utility.

(Continued)

(To be inserted by utility)

Advice Letter No. 365a

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services - Continued

1. General - Continued

- n. The Utility will place exposed cable and associated equipment on interior or exterior surfaces of buildings without concealment except in circumstances set forth in Special Conditions 14.3.F.1.m. preceding. However, the customer will be required to provide or arrange for suitable mechanical protection for such wiring and equipment where the Utility recommends that such protection is necessary to avoid unreasonable risk of damage to the facilities.
- o. The Utility warrants that its service will be performed in accordance with the standards established in Special Conditions 14.3. D., preceding. The Utility further guarantees all parts and equipment of the service against defects, including labor to replace parts and equipment. The Utility will replace defective parts at no additional charge. The warranty term for Intrabuilding Network Cable and its associated facilities is one year. This warranty excludes any Utility provided supporting structure which is part of and associated with such facilities.

Other than the warranty set forth above, the Utility disclaims all other warranties, whether expressed or implied, not limited to but including warranties of merchantability and fitness for a particular purpose.

Limitation of liability as set forth in Schedule Cal. P.U.C. No. A2, Rule 24, Limitation of Liability shall apply.

- p. The Utility shall have full remedies permitted under the law in the event the customer fails to make payment. The Utility shall be entitled to collect attorney fees and costs in the event it prevails in an action to collect payment.

(Continued)

(To be inserted by utility)

Advice Letter No. 365a

Decision No. 07-01-024

Issued by

Harry H. Baker
NAME

President
TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services - Continued

2. Consultation and Design for New Installation of Intrabuilding Network Cable

a. The Utility may provide Consultation and Design that includes the following:

- (1) Review and recommendation of designs for initial building telecommunications infrastructure.
- (2) Review of the design and parameters of the service.
- (3) Review and recommendation of building facilities needed including floor space, power, HVAC, terminal sizing and access, conduit supporting structure size and placement, and projected growth allowances.
- (4) Review and recommendation of cable type, size, and service application.
- (5) Review and recommendation of alternative serving arrangements.

b. The rates for Consultation and Design for New Installation of Intrabuilding Network Cable outlined in this Schedule will apply.

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services - Continued

3. Installation and Rearrangements of Intrabuilding Network Cable

a. Installations

- (1) At the customer's request, the Utility will install new Intrabuilding Network Cable within a customer's building. Within a building, this cable may be installed vertically to support telecommunication closet(s) on a floor, horizontally to support multiple telecommunications closet(s) on a common floor, or in combination thereof.

The Utility will install new Intrabuilding Network Cable between buildings on a customer's continuous property. This cable may be installed in conjunction with intrabuilding cable or may be placed exclusively for the support of interbuilding telecommunications needs.

- (2) The Utility will install Intrabuilding Network Cable to place or supplement existing Intrabuilding Network Cable, to replace Intrabuilding Network Cable damaged in a catastrophic loss, or to support customer specific transmission performance requirements.
- (3) "As Built" documentation of new Utility placed Intrabuilding Network Cable, including cable type, terminal type and location, pair count and availability, and tested cable parameters will be provided at the conclusion of the installation by the Utility.
- (4) Ownership of the installed facilities is transferred to the customer upon completion of the installation and the payment of all charges for the services rendered.
- (5) The rates for Installation and Rearrangement of Intrabuilding Network Cable outlined in this Schedule shall apply.

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services - Continued

3. Installation and Rearrangements of Intrabuilding Network Cable - Continued

b. Rearrangements

- (1) At the customer's request, the Utility will provide a non design quote for rearrangements of Intrabuilding Network Cable. Where the rearrangement requires consultation or design, charges as outlined in Consultation and Design for New Installation of Intrabuilding Network Cable shall apply.
- (2) At the customer's request, the Utility will rearrange Intrabuilding Network Cable and its associated terminal equipment within a customer's building or between buildings on a customer's continuous property. Cable may be rearranged with or between telecommunications closets.
- (3) The Utility will remove Intrabuilding Network Cable and its associated terminal equipment within a customer's building or between buildings on a customer's continuous property.
- (4) The Utility will remove unused or abandoned Intrabuilding Network Cable on a customer's property.
- (5) The rates for Installation and Rearrangement of Intrabuilding Network Cable outlined in this Schedule shall apply.

(Continued)

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____

A14. INTRABUILDING NETWORK CABLE

14.3 SPECIAL CONDITIONS - Continued

F. Intrabuilding Network Cable Services - Continued

4. Repair and Maintenance of Intrabuilding Network Cable
 - a. At the customer's request, the Utility will repair or replace Intrabuilding Network Cable and its associated facilities within a customer's building or between buildings on a customer's continuous property.
 - b. At the customer's request, the Utility will review non-standard Intrabuilding Network Cable and provide a time and materials quote to bring the Intrabuilding Network Cable, where possible, into compliance with the standards, as required in Special Conditions 14.3.D. preceding.
 - c. The Utility will provide documentation, as appropriate, of the repair completed including cable type if changed from the original, revised pair count, and availability and tested cable parameters.
 - d. The rates for Repair and Maintenance of Intrabuilding Network Cable outlined in this Schedule shall apply.
5. The Utility will provide additional Local Loop Demarcation Points at the property owner/landlord/agent's request at the rates, terms, and conditions found in Schedule Cal. P.U.C. No. A2, Rule 23, Special Construction of Exchange Facilities. Additional Local Loop Demarcation Points cannot be used to extend any cable pairs served from any Local Loop Demarcation Point from one location to another location, i.e., from one building to another building.
6. The Utility will provide copies of existing cable maps and diagrams to the customer in accordance with the rates in this Schedule. The Utility will not be required to engage in any extraordinary efforts to create or locate charts or diagrams that cannot be readily identified from presently existing records.

(To be inserted by utility)

Advice Letter No. 365

Decision No. 07-01-024

Issued by

Harry H. Baker

NAME

President

TITLE

(To be inserted by Cal. P.U.C.)

Date Filed May 29, 2008

Effective August 4, 2008

Resolution No. _____